



Declaration of Performance

www.exmoorwindows.co.uk

No. 0003

Dualframe Dualfold Door

Issue 1: 14 June 2013

Exmoor Windows Ltd

| Characteristics | Performance | AVCP | hEN |
|---|--|--|----------------|
| Dangerous substances | None | System 3 | EN14351-1 2010 |
| Thermal transmittance | Uw 1.9 W/m ² k (1) Or better than <small>(This figure is based upon centre pane Ug of 1.2 and warm edge spacer, a higher figure would be achieved with a worse performing unit or edge space)</small> | Notified bodies performed the determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product, and issuing of test/calculation reports under system 3 | |
| Load bearing capacity of safety devices | None | | |

Notified Bodies: (1) Exova Warringtonfire EC No. 1104 (Report No WIL328908)

The performance of the products certified with the above unique identification codes are in conformity with the relevant declared performances.

This declaration of performance is issued under the sole responsibility of **Exmoor Windows Ltd, Barden Works, 24 Brunel Way, Minehead, Somerset TA24 5BY**

Signed for and on behalf of the manufacturer by:

| Name and Function | Place and date of issue | Signature |
|---------------------------------|-------------------------|-----------|
| Dale Hawker - Managing Director | 14-Jun-13 | |